

Nampa Fire Protection District

Prevention Bureau



Application for
Residential Access & Water Supply Permit

Application Instructions

#1 Read & Fill out the entire Application.

#2 Submit the Application & all additional required documents:


In Person at Nampa Fire Protection District Administration Office (9 12th Ave S - Nampa, ID 83686)

or


Through Email: prevention@nampafire.org
Subject: Residential Access & Water Supply Permit

#3 NFPD will reach out to you once you submit your email

#5 Questions call Nampa Fire Protection District - Prevention Bureau at 208-468-5751



Nampa Fire Protection District - Prevention Bureau
Phone: 208-468-5751 Email: prevention@nampafire.org
Admin Office: 9 12th Ave South - Nampa, ID 83651



Nampa Fire
Protection
District



Upper Deer Flat
Fire Protection
District



Middleton-Star
Fire
Department



Caldwell Fire
Department



Wilder Rural Fire
Protection District



Parma Fire
District

Residential Access & Water Supply Permit Application for lots created by an Administrative Land Division

(Limit 4 lot Subdivision)

Homes in new subdivisions of 5 lots or more shall meet access and water supply requirements of the 2018 IFC regardless of house size.

Applicant Information

Owner: _____	Phone: _____	Email: _____
Applicant (if not owner): _____	Phone: _____	Email: _____
Parcel Number: _____	Helpful Direction Notes: _____	
Site Address: _____	City: _____	Zip: _____
Mailing Address: _____	City: _____	Zip: _____
Home is located on 5+ acres outside of impact area (Idaho Administrative Procedure Act. Title 41, Chapter 2, 41-253)		
Home is located 10 + miles from a fire station (Idaho Administrative Procedure Act. 18, 18.08.01)		


Roads

A Site plan is required for each permit application. Show on your site plan how you will comply with the access requirements. Signature required (see pg #2).

Access Road Guidelines - Privately maintained Roadway Width, Surface and Turnaround Requirements:

All access roads serving dwellings shall have a minimum improved driving surface width of 20 feet.
All roads and bridges shall be designed to meet a 75,000 lb fire apparatus load. Roads and bridges shall be inspected and certified by the applicant's engineer prior to obtaining a certificate of occupancy.
If the access road exceeds 150 feet in length, then a turnaround is required to be placed within 150 feet of the dwellings. <i>See turnaround examples below.</i>
A vertical clearance of 13 feet 6 inches is required over the width of the access road.
Existing driveways that add a second residence shall meet the minimum requirements of 4" thick 3/4 minus gravel base or equivalent recycled asphalt paving (RAP), graded and compacted with a 20 foot wide all weather driving surface.
New driveways shall provide a subbase if longer than 150 feet. The subbase shall be 9" of uncrushed aggregate (pit-run). The base shall be 4" thick 3/4 minus gravel base or equivalent recycled asphalt paving (RAP), graded and compacted with a 20 foot wide all weather driving surface.
Driveways serving two (2) properties and all private roads shall have a recorded road users maintenance agreement that describes the responsible parties for construction and maintenance, including repairs, and necessary improvements to accommodate additional accesses in the future. The agreement shall also list any construction warranties applicable to the specific driveway or private road.

Home is in a platted subdivision: Provide Plat Plan with application
Subdivision: _____
Lot _____ Block _____
Width: _____ Turning Radius: _____
Vertical Clearance: _____ Grade: _____
Turn around Yes No
Bridges: Yes No
Surface _____



WATER SUPPLY

Building plans are required for review to calculate the actual square footage.

Water Supply for Fire Suppression Guidelines

Fire flow square footage is determined by total occupiable space under the roof deck, including garages, bonus rooms, basements, and exterior porches/patios. Dwellings over 3,600 SF are required to have approved fire suppression water supply. ***Note separation through construction will not be accepted.**

Supply Needs:

Less than 3,600 sq/ft (No additional water supply required)

Over 3,600 sq/ft under roof, including garage (must select ONE of the following water supply options below).

If checked over 3,600 sq/ft select one of the following approved water supply options:

Annexation to Municipal Water System- A fire hydrant, supplied by a municipal water system capable of the required fire flow per 2018 International Fire Code, Appendix B.

Elevated and Pressure Tanks- A fire hydrant, supplied by a tank with a water capacity of 180,000 gallons, located within 1,200 feet driving distance of the residence.

Private and/or Community Well- A fire hydrant, supplied by a private and/or community water system, located within 1,200 feet driving distance of the residence. The hydrant shall be capable of supplying the required fire flow for the structure. To be considered as a water supply the owner/applicant will be required to provide fire flow information from the water purveyor that verifies the well is capable of the required fire flow.

OR:

NFPA 13D Fire Sprinkler System- In lieu of the water systems above an NFPA 13D fire sprinkler system may be installed in the residence. Plans for the design of the fire sprinkler system are required to be submitted to the fire jurisdiction for review and approval. Installation inspections of the system will be carried out by the fire jurisdiction.

AHJ alternative method accepted – Please attach addendum explaining alternative method proposal.

SIGNATURE – By signing this application, I agree to complete my project in accordance with the requirements specified on this document and the approved drawings provided to the Fire Code Official. I acknowledge that any significant deviations from these approved drawings or permit documents, as judged by the Fire Code Official, will result in the nullification of the permit, and necessitate a new plan review and permit issuance.

OWNER/APPLICANT SIGNATURE: _____ Date: _____

APPLICATION INSTRUCTIONS

- 1) Turn in application to proper oversight authority in your district.
- 2) Packet must include:
 - a. Complete Application
 - b. Roads - Site plans (showing how you will comply with access requirements) & Plat Plans
 - c. Water Supply - Building Plans (Specifically diagram/sheet with sq/ft.) (If an NFPA 13D Fire Sprinkler System is selected, a signed "letter of intent" shall be submitted with this application)
 - d. Cover page of building plans showing total fire area.
 - e. Signature of Owner/Applicant
 - f. Pay all fees if applicable.
- 3) Before final inspection/occupancy a "compaction report" shall be provided regarding all weather access meeting 75,000 lb compacity.
- 3) You will hear back from the plan reviewer within 10 business days.

OFFICE USE ONLY

Application Approved as Submitted

Application Approved with the following conditions:

The AHJ Fire Inspector has completed the single-family residential structure inspection and documented all the observations below. It shall be the responsibility of the Building Official to review the inspection report and use discretion on issuing the Certificate of Occupancy. Any overlooked hazardous condition and/or violation of the International Building and/or Fire Code does not imply approval of such condition or violation.

Name/Signature: _____ Date: _____

Certificate of Occupancy APPROVED: _____ Date: _____